



Couplings & Nozzle Holders

■ Nylon ■ Steel ■ Aluminum ■ Accessories



Nylon Blast Nozzle Holders



Product Features

PanBlast™ Nylon Nozzle Holders (NNH) are designed for quick, secure attachment of nozzles to the blast hose, without the galling sometimes associated with aluminum. Nylon Nozzle Holders are available for all standard blast hose sizes, and with either 19 m (3/4") or 50 mm (2") threads.

- ▶ Lightweight, durable injection molded nylon.
- ▶ Internal raised thread eases fitting to the blast hose.
- ▶ Attachment screws and nozzle washer included.

Common Applications

- ▶ On site industrial and commercial blasting.
- ▶ Blast and painting contractor yard work.
- ▶ Blast room applications.
- ▶ In situ blasting in shipyards and slipways.

Complementary Products



Blast Hoses



ATN-S Blast Nozzles



Nylon Couplings



ATN Blast Nozzles



AIN Blast Nozzles




ATV Blast Nozzles



SideWinder Blast Nozzles



Nozzle Washers



BAC-NZ-PB-0021



BAC-NZ-PB-0173



BAC-NZ-PB-0022



BAC-NZ-PB-0023



BAC-NZ-PB-0024

Stock Code	Description	Thread Size	To Suit Hose OD	Weight	Nozzle Washer To Suit
BAC-NZ-PB-0021	NNH-0 Nylon Nozzle Holder	19 mm (3/4")	Φ28 mm (1-1/8")	0.06 kg (0.13 lbs)	RNW-1 (BAC-NZ-PB-0029)
BAC-NZ-PB-0173	NNH-1/2 Nylon Nozzle Holder	50 mm (2")	Φ34 mm (1-5/16")	0.19 kg (0.42 lbs)	RNW-25 (BAC-NZ-PB-0030) For 25mm (1") Nozzle Entry
BAC-NZ-PB-0022	NNH-1 Nylon Nozzle Holder	50 mm (2")	Φ38 mm (1-1/2")	0.19 kg (0.42 lbs)	
BAC-NZ-PB-0023	NNH-2 Nylon Nozzle Holder	50 mm (2")	Φ48 mm (1-7/8")	0.16 kg (0.35 lbs)	RNW-32 (BAC-NZ-PB-0031) For 32mm (1-1/4") Nozzle Entry
BAC-NZ-PB-0024	NNH-3 Nylon Nozzle Holder	50 mm (2")	Φ55 mm (2-3/16")	0.19 kg (0.42 lbs)	